	<h1>SAFETY DATA SHEET</h1>	Page : 1 of 8
		Revised edition no : 0
		Date : 18 / 11 / 2015
		Supersedes : 0 / 0 / 0
<h2>JEFO METAL CLEAN</h2>		<h3>272384</h3>

Jefo Ship supply
De Dissel 12
8332 JH Steenwijk NETHERLANDS
telefoon 0031(0)6-83701219

SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : JEFO METAL CLEAN
Type of product : Emulsion.
Cleaning Maintenance Medium
Format : Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

1.2. Relevant identified uses of the substance or mixture and uses advised against

Directions for use : See product bulletin/label for detailed information.
Sector of use category : SU 22; Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Chemical product category : PC35: Washing and cleaning products (including solvent based products)
Process category : PROC13: Treatment of articles by dipping and pouring
PROC 19; Manual mixing with intimate contact and only PPE available.

1.3. Details of the supplier of the safety data sheet

Name and function of the responsible person : Jefo Ship Supply
T.a.v. Dhr. J.F. Braad
De Dissel 12
8332 JH Steenwijk
Telefoon: +31(0)6-83701219
E-mail: info@jefoshipsupply.nl

Responsible for placing on the market : See address above.

1.4. Emergency telephone number

: Phone during office hours: 0031(0)6-83701219
(UK) UK National Poisons Emergency number 0870 600 6266

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture


Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

- **Health hazards** : Skin irritation - Category 2 - Warning - (CLP : Skin Irrit. 2) - H315
Eye irritation - Category 2A - Warning - (CLP : Eye Irrit. 2) - H319
Aspiration hazard - Category 1 - Danger - (CLP : Asp. Tox. 1) - H304

2.2. Label elements

Labelling Regulation EC 1272/2008 (CLP)

- **Hazard pictograms**



- **Hazard pictograms** : GHS08 - GHS07
- **Signal words** : Danger
- **Contains** : Hydrocarbons, C11-C13, Isoalkanes, <2% Aromatics

Jefo Ship supply

De Dissel 12 8332 JH Steenwijk NETHERLANDS
telefoon 0031(0)6-83701219



SAFETY DATA SHEET

Page : 2 of 8

Revised edition no : 0

Date : 18 / 11 / 2015

Supersedes : 0 / 0 / 0

JEFO METAL CLEAN

272384

SECTION 2 Hazards identification (Continued)

- **Hazard statements** : H304 - May be fatal if swallowed and enters airways
H319 - Causes serious eye irritation
H315 - Causes skin irritation
 - **Supplemental hazard information** : EUH066 - Repeated exposure may cause skin dryness or cracking
 - **Precautionary statements**
 - General** : P102 - Keep out of reach of children.
 - Prevention** : P264 - Wash thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 - Response** : P301+310 - If swallowed, immediately call a doctor.
P331 - Do NOT induce vomiting
P303+P361+P352 - IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Wash with plenty of soap and water.
P332+313 - If skin irritation occurs: Get medical advice/attention
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313 - If eye irritation persists: Get medical advice/attention
 - Storage** : P405 - Store locked up
 - Disposal considerations** : P501 - Dispose of contents and/or container in accordance with local, regional, national and/or international regulation.
- 2.3. Other hazards**
- Note.** : The information given in this chapter is valid for the undiluted product.
- PBT/vPvB evaluation** : No PBT/vPvB substances present in a concentration of 0,1% or higher in this mixture.

SECTION 3 Composition/information on ingredients

3.1./3.2. Substance / Preparation : Amounts are expressed in % w/w.

Substance / Preparation : Preparation.

Substance name	Value(s)	CAS No	EC No	Index No	REACH	Classification
ALKANES, C11-15	: Greater than 50 %	----	920-901-0	----	01-2119456810-40	Asp. Tox. 1;H304 EUH066
FATTY ACIDS, C14-18 and C16-18-unsatd	: Between 5 and 9.9 %	67701-06-8	204-007-1	----	01-2119657832-31	Eye Irrit. 2;H319 Skin Irrit. 2;H315 H335, may cause respiratory irritation
AMMONIUM HYDROXIDE	: Between 1 and 4.9 %	1336-21-6	215-647-6	007-001-01-2	01-2119488876-14	Skin Corr. 1B;H314 Eye Dam. 1;H318 Aquatic Acute 1;H400

SECTION 4 First aid measures

4.1. Description of first aid measures

- Inhalation : Remove victim to fresh air.
Place the victim in semi-seated position.
- Skin contact : Rinse immediately with plenty of water.
For even minor contact, immediately remove contaminated clothing/wash skin thoroughly with mild soap / water.
Seek medical attention if irritation develops.
- Eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes.
Remove contact lenses.
Contact ophthalmologist immediately.
- Ingestion : If swallowed seek medical advice immediately and show this container or label.
Administer lukewarm water or milk (ca. 200 ml.).
If swallowed, rinse mouth with water (only if the person is conscious).

4.2. Most important symptoms and effects, both acute and delayed

Jefo Ship supply

De Dissel 12 8332 JH Steenwijk NETHERLANDS
telefoon 0031(0)6-83701219



SAFETY DATA SHEET

Page : 3 of 8

Revised edition no : 0

Date : 18 / 11 / 2015

Supersedes : 0 / 0 / 0

JEFO METAL CLEAN

272384

SECTION 4 First aid measures (Continued)

General Information. : In case of doubt or if symptoms persist, always call a doctor.

4.3. Indication of any immediate medical attention and special treatment needed

General Information. : Seek medical attention if ill effect or irritation develops.
See: <http://www.cdc.gov/NIOSH/ipcs/icstart.html>

SECTION 5 Firefighting measures

5.1. Extinguishing media

Extinguishing media

- Suitable extinguishing media : Product not combustible.

Surrounding fires : All known extinguishants can be used.
Use water spray to cool exposed surfaces.

5.2. Special hazards arising from the substance or mixture

Specific hazards : None, under normal circumstances.

Hazardous combustion products : Incomplete combustion may form carbon monoxide.

5.3. Advice for firefighters

Flammable class : Product not combustible.

Special protective equipment for fire fighters : None.

Special procedures : Avoid (reject) fire-fighting water to enter environment.

SECTION 6 Accidental release measures

General information : Material spilled on hard surface can present a serious slipping/falling hazard.

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear suitable protective clothing and gloves.
Ensure adequate air ventilation.
Equip cleanup crew with proper protection.

6.2. Environmental precautions

Environmental precautions : Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.
Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : Clean up any spills as soon as possible, using an absorbent material to collect it.
Impound and recover large spill by mixing it with inert granular solids.
Dilute residues and flush.

6.4. Reference to other sections

: SECTION 8

Jefo Ship supply

De Dissel 12 8332 JH Steenwijk NETHERLANDS
telefoon 0031(0)6-83701219



SAFETY DATA SHEET

Page : 4 of 8

Revised edition no : 0

Date : 18 / 11 / 2015

Supersedes : 0 / 0 / 0

JEFO METAL CLEAN

272384

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- General,** : Keep away from food, drink and animal feeding stuffs.
When using do not eat or drink.
- Personal protection** : Wear suitable protective clothing, gloves and eye/face protection.
- Handling** : Avoid contact of the undiluted product with the skin and eyes kleding. Wear no cloths soaked with this product, or on clothing.

7.2. Conditions for safe storage, including any incompatibilities

- Storage** : Keep only in the original container in a cool, well ventilated place.
Keep away from sources of ignition - No smoking.
- Storage life** : Material is stable at least for 12 months.

7.3. Specific end use(s)

- decontamination Procedures** : Wash hands after use with soap and water.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

- Ammonia% : OEL (UK)-STEL [mg/m³] : 25 (Ammonia, anydrous)
Ammonia% : OEL (UK)-STEL [ppm] : 35 (Ammonia, anydrous)

8.2. Exposure controls

- Personal protection** : Avoid all unnecessary exposure.
- Respiratory protection** : No special protection required where adequate ventilation is maintained.
- Skin protection** : Use neoprene or rubber gloves.
- Eye protection** : Safety glasses with side guards should be worn to prevent injury from airborne particles and/or other eye contact with this product.
- General hygiene** : When using, do not eat, drink or smoke.
Avoid contact of the undiluted product with the skin, the eyes and clothing.
Wash hands after use with soap and water.

SECTION 9 Physical and chemical properties

- Physical state at 20 °C** : Liquid
- Colour** : Brown.
- Odo(u)r** : Characteristic
No information available
- Odour Treshold** : No data available.
- pH-value** : Not applicable
- Melting-/Freezing Point** : No data available.
- Boiling point [°C]** : No data available.
- Flash point [°C]** : 65°C
- Evaporation rate** : No data available.
- Flammability (solid, gas)** : No data available.
- Vapour pressure, 20°C** : No data available.
- Relative Density (20 °C, g/cm³)** : 0,920 g/cm³
- Solubility in water** : In water, the material disperses.
- Log P octanol / water at 20°C** : No data available.
- Auto-ignition temperature [°C]** : No data available.
- Decomposition temperature (°C)** : No data available.

Jefo Ship supply

De Dissel 12 8332 JH Steenwijk NETHERLANDS
telefoon 0031(0)6-83701219



SAFETY DATA SHEET

Page : 5 of 8

Revised edition no : 0

Date : 18 / 11 / 2015

Supersedes : 0 / 0 / 0

JEFO METAL CLEAN

272384

SECTION 9 Physical and chemical properties (Continued)

Viscosity at 25°C [mPa.s]	: 400 mPa.s
Explosive Properties	: No data available.
Explosion limits - lower [%]	: No data available.
Explosion limits - upper [%]	: No data available.
Oxidising properties	: No data available.

SECTION 10 Stability and reactivity

10.1. Reactivity

Reactivity : No open flames. No smoking.

10.2. Chemical stability

Chemical stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : None under normal conditions.

10.4. Conditions to avoid

Conditions to avoid : Extremely high or low temperatures.
Keep away from sources of ignition - No smoking.
Open flame.

10.5. Incompatible materials

Materials to avoid : Strong oxidizers.

10.6. Hazardous decomposition products

Dangerous products of decomposition : Incomplete combustion may form carbon monoxide.


SECTION 11 Toxicological information

11.1. Information on toxicological effects

Toxicity information	: With the product as such no toxicological tests have been done. According to the criteria of (EC) 1272/2008 this product is classified as mentioned in section 2. Components that are toxic are mentioned in section 3.
- Inhalation	: Information on raw materials. Koolwaterstoffen, C11-C13, iso-alkanen, <2% aromaten. cas.nr. 90622-58-5 : Irritating to respiratory system. Symptomen: Hoofdpijn, Duizeligheid. LC50: (Rat, inademing, 8u): > 5000 mg/m3
- Dermal	: Irritating to skin. Symptomen: Roodheid, Pijn. LD50: (Konijn, dermaal): > 5000 mg/kg
- Ocular	: Irritating to eyes.
- Ingestion	: Harmful if swallowed. Symptomen: Braken, Misselijkheid. LD50 (Rat, oraal): > 5000 mg/kg
Sensitization	: No data available.

Jefo Ship supply

De Dissel 12 8332 JH Steenwijk NETHERLANDS
telefoon 0031(0)6-83701219

	<h1>SAFETY DATA SHEET</h1>	Page : 6 of 8
		Revised edition no : 0
		Date : 18 / 11 / 2015
		Supersedes : 0 / 0 / 0
<h2>JEFO METAL CLEAN</h2>		<h3>272384</h3>

SECTION 12 Ecological information

12.1. Toxicity

Ecotoxicity : Information on ingredients.
Koolwaterstoffen, C11-C13, iso-alkanen, <2% aromaten.
cas.nr. 90622-58-5
LC50 (Vis, 96u): > 100 mg/l
EC50 (Daphnia Magna, 48u): > 1000 mg/l

12.2. Persistence and degradability

: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
With the product as such no ecological tests have been done. According to the criteria of (EC) 1272/2008 this product is classified concerning the environment as mentioned in section 2. Components that are dangerous to the environment are mentioned in section 3.

12.3. Bioaccumulative potential

: No data available.

12.4. Mobility in soil

: No data available.

12.5. Results of PBT and vPvB assessment

: No PBT/vPvB substances present in a concentration of 0,1% or higher in this mixture.

12.6. Other adverse effects

: No data available.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

General : Dispose in a safe manner in accordance with local/national regulations.
Packing : Dispose of this material and its container at hazardous or special waste collection point.
Product : ERC8a; Wide dispersive indoor use of processing aids in open systems
ERC8d; Widespread use (outside) of processing aids in open systems.
Release : Avoid release to the environment.
Wastewater can be discharged by public wastewater sewer.
Comply with local regulations for disposal.
Disposal method : Preferably recycling instead of landfill or incineration.
Industrial waste number : XXXXX - European Waste Code. This code is assigned based upon the most common uses and may not be representative of the contaminants resulting from actual use of the product. The producer of the waste must assess the actual process and the appropriate waste code. See Decision 2001/118/EC

SECTION 14 Transport information

General information : ADR 2015

14.1. UN number

UN nr. : None.

14.5. Environmental hazards

: No ecological damage caused by this product.

14.6. Special precautions for user

Jefo Ship supply

De Dissel 12 8332 JH Steenwijk NETHERLANDS
telefoon 0031(0)6-83701219



SAFETY DATA SHEET

Page : 7 of 8

Revised edition no : 0

Date : 18 / 11 / 2015

Supersedes : 0 / 0 / 0

JEFO METAL CLEAN

272384

SECTION 14 Transport information (Continued)

: Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Safety.** : Ensure all national/local regulations are observed.
- Ministry's list of carcinogens** : None of the ingredients is listed.
- SZW list of mutagens** : None of the ingredients is listed.
- NON-exhaustive list of reproductive toxins - Fertility** : None of the ingredients is listed.
- NON-exhaustive list of reproductive toxins - Development** : None of the ingredients is listed.
- NON-exhaustive list of reproductive toxins - Breastfeeding** : None of the ingredients is listed.
- Water Discharge Policy (ABM)** : Little inconvenient for living organisms in the water.
Sanitizing effort

Regulation (CE) No.648/2004 of 31
March 2004 on detergents. Annex VII.

Contains : > 30% : - Aliphatic hydrocarbons

15.2. Chemical safety assessment


: No data available.

SECTION 16 Other information

- Sources of key data used** : This data sheet was prepared in accordance with Regulation (EU) no. 453/2010 and CLP Regulation 1272/2008.
- List of relevant H phrases (Section 3)** : EUH066 - Repeated exposure may cause skin dryness or cracking
EUH071 - Corrosive to the respiratory tract
H304 - May be fatal if swallowed and enters airways
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H400 - Very toxic to aquatic life
- Revision** : Major changes in the text compared to former version are indicated with *.
- Print date** : 18 / 11 / 2015
- Recommended uses and restrictions** : See product label for detailed information.
- Abbreviations** : ADN: Accord européen relatif au transport international des marchandises Dangereuses par voies de Navigation intérieure
ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
CAS: Chemicals Abstracts Service
DNEL: Derived No Effect Level
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
LC50: Lethal Concentration (50%)
LD50: Lethal Dose (50%)
MAC: Maximaal Aanvaarde Concentratie
OEL: Occupational Exposure Limit.
PC: Product Category.
PNEL: Predicted No Effect Level
ppm: parts per million.

Jefo Ship supply

De Dissel 12 8332 JH Steenwijk NETHERLANDS
telefoon 0031(0)6-83701219

	SAFETY DATA SHEET	Page : 8 of 8
		Revised edition no : 0
		Date : 18 / 11 / 2015
		Supersedes : 0 / 0 / 0
JEFO METAL CLEAN		272384

SECTION 16 Other information (Continued)

DISCLAIMER OF LIABILITY

PROC: Process Category
 REACH: Registration, Evaluation en Autorisation of Chemicals.
 SU: Sector of Use.
 STEL: Short Term Exposure Limit.
 TLV: Treshold Limit Value.

: The data given here is based on current knowledge and experience. The purpose of this Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

End of document